LAB ALLEY
ESSENTIAL CHEMICALS

Certificate of Analysis

Product: Sodium Hypochlorite 5% Solution
Item Number: SHCN5
Grade: Lab
Lot Number: 5001489/1.1-5-121025
Manufacture Date: 12/10/2025
Expiration Date: 12/09/2027
Country of Origin: United States

Tested Property	Specification	Analysis
Sodium Hypochlorite (NaOCl), %	5.1 - 6.0%	5.3
Available Chlorine, %	5.0 - 6 .0%	5.1
Specific Gravity @ 25°C	1.08- 1.11	1.10
Sodium Hydroxide, %	0.1 - 0.2%	0.16
Color/Clarity	Clear	Pass
Iron	Max 1.0 ppm	<0.5
Nickel	Max 0.5 ppm	<0.5

Store in a cool, dry, and well-ventilated environment.
CAS RN: 7681-52-9

Sodium Hypochlorite 5% Solution

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,
12501 Pauls Valley Road, Suite A, Austin, Texas 78737,
© copyright: 2026 Lab Alley