

Certificate of Analysis

Product: Nitric Acid 20% Solution
Item Number: NAL20
Grade: Lab
Lot Number: 5001866/1.1-20-10826
Manufacture Date: 01/08/2026
Expiration Date: 01/07/2028
Country of Origin: United States

Tested Property	Specification	Analysis
Assay wt%	19.5 - 20.5%	20.0
Iron	Max 10 ppm	<10
Oxides of nitrogen	Max 15 ppm	<15
Chlorides	Max 3 ppm	<3
Color, APHA	Max 50	<50

Store in a cool, dry, and well-ventilated environment.
CAS RN: 7697-37-2

[Nitric Acid 20% Solution](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley