LAB ALLEY
ESSENTIAL CHEMICALS

Certificate of Analysis

Product: Nitric Acid 67% Solution, Lab/Technical Grade
Item Number: NAL67
CAS#: 7697-37-2
Grade: Lab
Lot Number: 5002326/1.1
Manufacture Date: 04/24/2026
Expiration Date: 04/23/2029
Country of Origin: United States

Tested Property	Specification	Analysis
Assay (% by Weight)	>65.00%	65.15
Iron (By Weight)	Max 10 ppm	6.03
N2O3	Max 100 ppm	0
Chlorides	Max 5.0 ppm	0
Color	Max 30 APHA	10
Non-Volatiles Residue	Max 100.0 ppm	20
Ammonium Nitrate	Max 47 ppm	10
Sulfate	Max 20 ppm	0

Store in a cool, dry, and well-ventilated place.

Nitric Acid 67% Solution, Lab/Technical Grade

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,
12501 Pauls Valley Road, Suite A, Austin, Texas 78737,
© copyright: 2026 Lab Alley