LAB ALLEY
ESSENTIAL CHEMICALS

Certificate of Analysis

Product: Hydrochloric Acid 0.5N, Lab Grade
Item Number: HCASA05N
CAS#: 7647-01-0
Grade: Lab
Lot Number: 5002024/1.2-05N-72126
Manufacture Date: 07/21/2026
Expiration Date: 07/20/2028
Country of Origin: United States

Tested Property	Specification	Analysis
Appearance @ 25°C	Clear liquid	Pass
Concentration, HCl	0.50N±0.05N	0.50N

Store in a cool, dry, and well-ventilated place.

Hydrochloric Acid 0.5N, Lab Grade

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,
12501 Pauls Valley Road, Suite A, Austin, Texas 78737,
© copyright: 2026 Lab Alley