

Certificate of Analysis

Product: Acetic Acid 50% Solution
Item Number: AASL50
Grade: Lab
Lot Number: 5001407/1.1-50-112125
Manufacture Date: 11/21/2025
Expiration Date: 11/20/2027
Country of Origin: United States

Tested Property	Specification	Analysis
Assay	48.5 - 51.5%	Pass
Acetic Anhydride	≤0.005%	0.00%
Color	10	5
Dilution Test	To Pass Test	Pass
Chloride	≤1 ppm	<1
Heavy Metals (as Pb)	≤0.5mg/kg	<0.02
Nonvolatile Residue	≤0.001%	0.0003%

Store in a cool, dry, and well-ventilated environment.
CAS RN: 64-19-7

[Acetic Acid 50% Solution](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley