

### Certificate of Analysis

**Product: Acetic Acid Glacial 99%**  
**Item Number: AAF99**  
**Grade: FCC**  
**Lot Number: 5000483/1.1**  
**Manufacture Date: 10/24/2023**  
**Expiration Date: 10/23/2026**  
**Country of Origin: United States**

Tested Property	Specification	Analysis
Assay	99.5% - 100.5%	100.2
Visual	Clear/Clean Free Of Suspended Particles	Pass
Color	Colorless	Pass
Specific Gravity @ 25°C	NMT 1.055	1.047
Identification	Identification For Acetate Pass	Pass
Congealing Temp	Min 15.6°C	16.5°C
Non volatile residue	Max 0.005 wt%	0.000
Readily Oxidizable Substances	To pass the test	Pass
Lead	<0.5 mg/kg	Pass
Infrared Identity	To pass the test	Pass

#### [Acetic Acid Glacial 99%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [customercare@laballey.com](mailto:customercare@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley