

Certificate of Analysis

Product: Acetic Acid Glacial 99%

Item Number: AAL99

Grade: Lab

Lot Number: 5001389/7.2

Manufacture Date: 05/09/2022

Expiration Date: 05/08/2026

Country of Origin: United States

Tested Property	Specification	Analysis
Acetic Acid Assay, wt%	Min. 99.8	99.88
Color Pt-Co	Max. 10.0	5
Formic Acid, %	Max. 0.0500	0.001
Water, %	Max. 0.1500	0.079
Acetaldehydes, %	Max. 0.05	0.001
Iron, ppm	Max. 1	0.10
Appearance	To Pass Tests	Passes

[Acetic Acid Glacial 99%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley