

Certificate of Analysis

Product: Acetic Acid Glacial
Item Number: AAA99
Grade: ACS
Lot Number: 5001296/1.1
Manufacture Date: 01/07/2025
Expiration Date: 01/06/2028
Country of Origin: United States

Tested Property	Specification	Analysis
Assay (CH ₃ COOH)	Min 99.7%	99.98%
Color (APHA)	Max 10	5
Residue after Evaporation	Max 10 ppm	3 ppm
Dilution test	To pass test	Pass
Sub. Red. Dichromate	To pass test	Pass
Sub. Red. Permanganate	To pass test	Pass
Chloride (Cl)	Max 1 ppm	<1 ppm
Phosphate (PO ₄)	Max 1 ppm	<1 ppm
Sulfate (SO ₄)	Max 1 ppm	<1 ppm
Heavy Metals (as Pb)	0.5 ppm	<0.02 ppm
Acetic Anhydride	Max 0.01%	0.00%
Titration base	Max 0.0004meq/g	<0.0002meq/g
Identification	Positive for Acetate	Passes
Chloride	No opalescence is produced	Passes
Sulfates	No turbidity is produced	Passes
Readily oxidizable substances	To pass the test	Passes
Congealing temperature	Min 15.6°C	16°C
Iron	Max 0.2 ppm	<0.1 ppm

[Acetic Acid Glacial](#)

Phone: 512-668-9918, Fax: 512-886-4008,
 E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley



Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley