

Certificate of Analysis

Product: Acetic Anhydride
Item Number: AANHA
Grade: ACS
Lot Number: 5000285/1.1
Manufacture Date: 09/01/2023
Expiration Date: 07/12/2026
Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Clear	Clear
Assay by GC, wt%	97.00 - 100.00%	99.95%
Color APHA	Max 10	5
Residue after evaporation	Max 0.003 wt%	Pass
Chloride	Max 5 ppm	Pass
Phosphate	Max 0.001%	Pass
Sulfate	Max 5 ppm	Pass
Heavy metals as Pb	Max 2 ppm	Pass
Iron	Max 5 ppm	Pass
Substances reducing Permanganate	Pass the test	Pass

[Acetic Anhydride](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley