

Certificate of Analysis

Product: Acetone 100%
Item Number: ACEL
Grade: Lab
Lot Number: 5000901/2.1
Manufacture Date: 09/09/2024
Expiration Date: 09/08/2026
Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Clear and free	Pass
Color, Pt-Co	Max 5	<5
Odor	Non-residual	Pass
Water, wt%	Max 0.50	0.17
Water miscibility	Pass the test	Pass
Specific Gravity @ 20°C	0.791 - 0.793	0.7918
Permanganate Time	>120 minutes	>120
Non-volatile matter, mg/100ml	≤0.001wt%	0.0003
Purity Acetone on dry basis by GC, wt%	≥99.50	99.79
Distillation Range 1°C incl 56.1°C	Max 1°C	0.4
IBP	As reported	56.0C
DP	As reported	56.3°C
50%	As reported	56.1°C
Alkanity as Ammonia	Max 0.001 wt%	<0.001
Acidity as Acetic Acid, wt%	≤0.0020	0.0011
Aldehydes	Max 150 ppm	51

This product meets ASTM D329 specification for Acetone.

[Acetone 100%](#)

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley



Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley