

Certificate of Analysis

Product: Acetonitrile 99.9%
Item Number: CANLCMS
Grade: LCMS
Lot Number: 5000919/1.1
Manufacture Date: 08/21/2024
Expiration Date: 08/20/2029
Country of Origin: United States

Tested Property	Specification	Analysis
Assay (by GC-FID) (Corrected for Water)	Min 99.9%	99.98
Fluorescence at emission maximum for Impurities	Max 0.3 ppb	<0.3
LC gradient elution suitability at		
215 nm	Max 0.005 AU	0.002
254 nm	Max 0.001 AU	0.0001
LC-MS Positive mode (as Reserpine)	Max 50 ppb	<50
LC-MS Negative mode (as Nitrophenol)	Max 50 ppb	<50
Refractive Index at 25°C	1.3434 - 1.3446	1.3439
Residue after Evaporation	Max 1 ppm	<0.1
Water (by KF coulometry)	Max 0.010%	0.0007
Aluminum (Al)	Max 50 ppb	<1
Barium (Ba)	Max 5 ppb	<1
Cadmium (Cd)	Max 5 ppb	<1
Calcium (Ca)	Max 50 ppb	1
Chromium (Cr)	Max 5 ppb	<1
Cobalt (Co)	Max 5 ppb	<1
Copper (Cu)	Max 5 ppb	<1
Iron (Fe)	Max 5 ppb	2
Lead (Pb)	Max 5 ppb	<1
Magnesium (Mg)	Max 10 ppb	<1

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley

Manganese (Mn)	Max 5 ppb	<1
Nickel (Ni)	Max 5 ppb	<1
Potassium (K)	Max 10 ppb	<1
Silver (Ag)	Max 5 ppb	<1
Sodium (Na)	Max 50 ppb	<1
Tin (Sn)	Max 5 ppb	<1
Zinc (Zn)	Max 5 ppb	<1

[Acetonitrile 99.9%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley