

Certificate of Analysis

Product: Activated Carbon (Charcoal), Granular

Item Number: ACCL1240G

Grade: FCC

Lot Number: 5000819/1.1

Manufacture Date: 09/06/2024

Expiration Date: 09/05/2028

Country of Origin: United States

Tested Property	Specification	Analysis
Apparent Density (ASTM D-2854)	As reported	0.52g/cm ³
Iodine (ASTM D-4607)	As reported	964 mg/g
pH (ASTM D-3838)	As reported	7.24
Moisture as Packed (ASTM D-2867)	As reported	3.12%
U.S. Standard Sieve Size (ASTM D-2862)		
Larger than No.12	As reported	Max. 2.96%
Smaller than No.40	As reported	Max. 2.02%

[Activated Carbon \(Charcoal\), Granular](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley