

Certificate of Analysis

Product: Ammonium Chloride Granular 99% Lab Grade

Item Number: AMCHLGL

CAS#: 12125-02-09

Grade: Lab

Lot Number: 4199749

Manufacture Date: 06/01/2022

Expiration Date: 06/01/2027

Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	White, fine crystalline powder	Pass
Assay	>99.0%	99.8%
Ash	Max 0.025 g/100g	Pass
Water by KF	≤0.5%	0.04%
Iron	Max 10 mg/Kg	Pass
pH of a 5% solution @25°C	4.5 - 6.0	4.85
Anticaking Agent (Amine Derivative)	Max 0.05 g/100g	Pass
Lead	≤ 4 mg/kg	≤ 4 mg/kg

This is an electronically generated document and is valid without a signature.

[Ammonium Chloride Granular 99% Lab Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley