

Certificate of Analysis

Product: Ammonium Hydroxide 54-55%, 20 Baume

Item Number: C1564

Grade: Lab

Lot Number: 240724-1A

Manufacture Date: 06/28/2024

Expiration Date: 06/27/2026

Country of Origin: United States

| Tested Property | Specification | Analysis |
|-----------------------------|----------------------|-----------------|
| Assay as (NH ₃) | 28.0 - 30.0% | 29.78% |
| Assay as NH ₄ NH | 54-55% | Passes |
| Appearance | Clear, Water White | Pass |
| Iron | As reported | <0.032 ppm |
| Chloride | As reported | <0.020 ppm |
| Color APHA | As reported | <5 |
| Specific Gravity @ 60°F | As reported | 0.8963 |

[Ammonium Hydroxide 54-55%, 20 Baume](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley