

Certificate of Analysis**Product: Boric Acid Crystals 99.8%, ACS Grade****Item Number: C2120****CAS#: 10043-35-3****Grade: ACS****Lot Number: 260904-2M****Manufacture Date: 10/31/2025****Expiration Date: 10/30/2030****Country of Origin: United States**

Tested Property	Specification	Analysis
Assay Dried Basis	≥99.5%	99.65%
Loss on Drying @ 150°C	≤0.5%	0.5%
Insoluble in Methanol	≤0.005%	<0.005%
Solubility in Alcohol	To Pass Test	Passes Test
Nonvolatile with Methanol	≤0.05%	0.05%
Completeness of Solution	To Pass Test	Passes Test
Chloride	≤0.001%	0.001%
Heavy Metals (as Pb)	≤0.001%	0.0009%
Phosphate	≤0.001%	<0.001%
Sulfate	≤0.01	0.009%
Iron	≤0.001%	<0.001%
Calcium	≤0.005%	<0.005%
Residual Solvents	To Pass Test	Passes Test

Store in cool, dry, well-ventilated environment.

[Boric Acid Crystals 99.8%, ACS Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley



This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.
© copyright: 2026 Lab Alley