

HACCP Evaluation

Caffeine Powder, USP/FCC/Food Grade, Kosher, Halal

Per the knowledge communicated to Lab Alley by our supplier, the HACCP plan of our supplier is as follows:

HACCP Plan for Caffeine

| CCP | No. | Hazard description | Critical limit | Monitoring | | | | Corrective action | Related records |
|-----------------|-----|-------------------------------|--|------------|--------------------------------------|------------|---------------------------|--|---|
| | | | | What | How | Frequency | Who | | |
| Metal detection | CCP | The metal presents in product | Fe: <0.8mm, Non-Fe: <1.2mm, Stainless steel: <1.5mm | Metal chip | Use the metal detector to detect it. | Each batch | Operators in packing post | 1. Repair and calibrate the metal detector again. 2. The one former detected batch before the metal detector dose not work should be detected again. 3. Isolate the batch contaminated by metal chip and reprocess it as unqualified material. | Record for using metal detector, Site-cleaning record, Metal investigation record, Validation record and Correction record |

[Caffeine Powder, USP/FCC/Food Grade, Kosher, Halal](#)

Phone: 512-668-9918, Fax: 512-886-4008, E-mail: customer@laballey.com

www.laballey.com

12501 Pauls Valley Road, Suite A, Austin, Texas 78737

© 2026 Lab Alley