

Certificate of Analysis

Product: Calcium Chloride, Flakes, Lab Grade

Item Number: C2430

CAS#: 10043-52-4

Grade: Lab

Lot Number: 260510-A

Manufacture Date: 09/30/2025

Expiration Date: 09/29/2030

Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	White Granular Flakes	Conforms
Assay	≥70.0%	83.0
Total Alkali Chlorides as NaCl	≤6.0%	Conforms
Total Magnesium Chloride	≤0.5%	Conforms
Calcium Hydroxide	≤2.0%	Conforms
Passes through 3/8" screen	100%	Conforms
Passes Through 4 mesh	≥80%	Conforms
Passes Through 30 mesh	≤5.0%	Conforms
Bulk Density #/Sq. Ft.	51 - 61	Conforms

Store in a cool, dry, and well-ventilated environment.

[Calcium Chloride, Flakes, Lab Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley