

Certificate of Analysis

Product: Calcium Citrate, USP/FCC Grade

Item Number: CACIGU

CAS#: 5785-44-4

Grade: USP/FCC

Lot Number: 5002516/1.1

Manufacture Date: 07/07/2025

Expiration Date: 07/06/2030

Country of Origin: United States

Tested Property	Specification	Analysis
Description	White odorless crystalline powder	Pass
Solubility	Soluble in 3N HCl and 2N Nitric Acid	Pass
	Insoluble in alcohol, slightly soluble in water	Pass
ID A:	White precipitate should be formed	Pass
ID B:	Voluminous white precipitate should be formed	Pass
Fluoride	NMT 0.003% w/w	Pass
Heavy Metals	NMT 20 ppm	Pass
Limit of acid-insoluble substances	NMT 0.2% w/w	0.65% w/w
Assay, Dry Basis	97.5 - 100.5% w/w	99.61% w/w
Loss on Drying (LOD)	10.0 - 13.3% w/w	11.38% w/w
Arsenic	NMT 3 ppm	Pass
Lead	NMT 10 ppm	Pass
Calcium Content	20 - 22%	Pass
Mesh Size	100% passing 100 mesh	Pass

Store in cool, dry, and well-ventilated place.

[Calcium Citrate, USP/FCC Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley



conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley