

Certificate of Analysis

Product: Chromium Nitrate, Reagent Grade

Item Number: C2930

CAS#: 2150954

Grade: Reagent

Lot Number: 260626-M

Manufacture Date: 03/20/2025

Expiration Date: 03/20/2030

Country of Origin: United States

Tested Property	Specification	Analysis
Assay: Nonahydrate material	≤99.0%	99.1
Insoluble matter	≤0.01%	<0.01
Chloride	≤0.05%	0.04
Iron	≤0.02%	<0.02
Sulfate	≤0.01%	<0.01

Store in a cool, dry, and well-ventilated environment away from heat.

[Chromium Nitrate, Reagent Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley