

Certificate of Analysis

Product: Citric Acid 50% Solution, Kosher, Halal

Item Number: CTALF

Grade: FCC

Lot Number: 5001812/1.1-50-20526

Manufacture Date: 02/05/2026

Expiration Date: 02/04/2028

Country of Origin: United States

| Tested Property | Specification | Analysis |
|--------------------------|---|----------|
| Appearance | Clear to slightly hazy, free of suspended particles | Pass |
| Odor | Odorless | Pass |
| Color, APHA | Max 50 | 10 |
| Specific Gravity 25/25°C | 1.230 - 1.250 | 1.238 |
| Citric Acid % | 50.00 - 52.00 | 50.00 |

Store in a cool, dry, and well-ventilated place.
CAS RN: 77-92-9

[Citric Acid 50% Solution, Kosher, Halal](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley