

Certificate of Analysis

Product: Concentrated Nitric Acid 70%

Item Number: NAS70

Grade: Semiconductor

Lot Number: 5002030/1.1

Manufacture Date: 01/21/2026

Expiration Date: 01/20/2029

Country of Origin: United States

Tested Property	Specification	Analysis
Assay	68 - 70%	69.84
Color (APHA)	Max. 10	5
Residue after Ignition, ppm	Max 2	1
Chloride, ppm	Max 0.5 ppm	<0.2
Sulfate, ppm	Max 1 ppm	<0.1
Arsenic, ppm	Max 0.01	0.001
Heavy Metals (as Pb), ppm	Max 0.2	<0.1
Iron, ppm	Max 0.2	<0.05
Nickel, ppm	Max 0.05	<0.05
Mercury, ppm	Max. 0.005	<0.005

Store in a cool, dry, and well-ventilated environment.
CAS RN: 7697-37-2

[Concentrated Nitric Acid 70%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley