

Certificate of Analysis

Product: Copper (Cupric) Chloride Dihydrate Lab Grade

Item Number: C3301

CAS#: 10125-13-0

Grade: Lab

Lot Number: 000418835

Manufacture Date: 12/31/2024

Expiration Date: 12/30/2029

Country of Origin: Mexico

Tested Property	Specification	Analysis
CuCl ₂	≥98.0%	98.15%
Copper	≥35.8%	35.9%
Iron	≤0.02%	0.017%
As	≤0.005%	0.0046%
Zn	≤0.02%	<0.009%
Cd	≤0.02%	<0.018%
Insoluble Material, H ₂ O	≤0.05%	<0.044%

Store in a cool, dry, and well-ventilated environment away from moisture.

[Copper \(Cupric\) Chloride Dihydrate Lab Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley