

Certificate of Analysis

Product: Copper Sulfate Pentahydrate Crystal ACS Grade

Item Number: C3370

CAS#: 7758-99-8

Grade: ACS

Lot Number: 260616-A

Manufacture Date: 12/31/2024

Expiration Date: 01/31/2034

Country of Origin: Mexico

Tested Property	Specification	Analysis
Appearance	Blue Crystals	Passes
Assay	99.0-102.0%	99.8
Insoluble Matter	Max 0.005%	0.002
Chloride (Cl)	Max 0.001%	0.0004
Nitrogen Compounds (as N)	Max 0.002%	0.0008
Calcium (Ca)	Max 0.005%	0.002
Iron (Fe)	Max 0.003%	0.001
Nickel (Ni)	Max 0.005%	0.003
Potassium (K)	Max 0.01%	0.0005
Sodium (Na)	Max 0.02%	0.0006

Store in a cool, dry, and well-ventilated environment away from moisture.

[Copper Sulfate Pentahydrate Crystal ACS Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley