

Certificate of Analysis

Product: Cuprous Chloride Anhydrous

Item Number: C3430

Grade: Reagent

Lot Number: 250115-C

Manufacture Date: 06/04/2024

Expiration Date: 06/03/2026

Country of Origin: United States

Tested Property	Specification	Analysis
Assay	$\geq 90.0\%$	91.0%
Insoluble in acid	$\leq 0.02\%$	<0.02
Arsenic	$\leq 0.001\%$	0.001
Calcium	$\leq 0.01\%$	0.01
Sulfate	$\leq 0.1\%$	0.1
Iron	$\leq 0.005\%$	<0.005
Sodium	$\leq 0.05\%$	<0.05
Potassium	$\leq 0.02\%$	<0.02

Cuprous Chloride Anhydrous

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley