

Certificate of Analysis

Product: Diacetone Alcohol
Item Number: C3525
Grade: Reagent
Lot Number: 240902-A
Manufacture Date: 03/29/2024
Expiration Date: 03/28/2027
Country of Origin: United States

Tested Property	Specification	Analysis
Assay Diacetone alcohol (dry basis)	≥98.7	99.57%
Color APHA	≤25	5
Suspended matter	Free From Suspended Matter	Pass
Water	≤0.10%	0.07%
Specific Gravity 20/20°C	0.938-0.941	0.940
Acidity, Wt % (as acetic acid)	≤0.01%	0.001%
Non-Volatile Matter mg/100ml	≤5.00mg	2.90mg
Distillation @ 760mm Hg		
IBP	As reported	155.9°C
FBP	As reported	173.9°C

[Diacetone Alcohol](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley