

### Certificate of Analysis

**Product: Dichloromethane 99.5%**  
**Item Number: DCMA**  
**Grade: ACS**  
**Lot Number: 5001219/1.1**  
**Manufacture Date: 03/24/2025**  
**Expiration Date: 03/23/2028**  
**Country of Origin: United States**

Tested Property	Specification	Analysis
Appearance	Clear, colorless liquid	Pass
Assay	Min 99.5%	99.95
Boiling Range	Min 39.5 °C	Pass
Color	0 - 10 APHA	4
Residue after Evaporation	Max 0.002 %	<0.002
Titration Acid	Max 0.0003 meq/g	<0.0003
Free Halogens	Pass the ACS test	Passes
Water	Max 0.0200 %	0.0013
Density @ 25°C	1.3200 - 1.3265	1.3205

#### [Dichloromethane 99.5%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [customercare@laballey.com](mailto:customercare@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley