LAB ALLEY
ESSENTIAL CHEMICALS

Certificate of Analysis

Product: Dichloromethane (Methylene Chloride), Lab Grade
Item Number: DCML
CAS#: 75-09-2
Grade: Lab
Lot Number: 5002720/1.1
Manufacture Date: 04/23/2026
Retest Date : 04/22/2030
Country of Origin: United States

Tested Property	Specification	Analysis
Color, APHA	Max. 10	5
Purity	Min. 99.80%	99.95%
Water	Min. 0.01 Wt. %	0.01 Wt. %
Non-Volatile Matter	Max. 0.001%	0.0003%
Acidity	Max. 5 ppm	1 ppm
Appearance	To Pass the Test	Pass

Store in a cool, dry, and well-ventilated environment away from direct sunlight.

Dichloromethane (Methylene Chloride), Lab Grade

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,
12501 Pauls Valley Road, Suite A, Austin, Texas 78737,
© copyright: 2026 Lab Alley