

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name Ethanol 200 Proof  
CAS number 64-17-5  
Synonyms Ethyl alcohol

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals

#### 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC  
12501 Pauls Valley Road  
Austin, Texas 78737  
U.S.A.  
Telephone 512-668-9918  
Fax 512-886-4008

#### 1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC  
International 1-352-323-3500 INFOTRAC

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids Category 2  
Eye irritation Category 2A

#### 2.2 GHS Label elements, including precautionary statements

Pictogram	#VALUE!
Signal Word	Danger
Hazard statements	Highly flammable liquid and vapor. Causes serious eye irritation.
Precautionary statements	Keep away from heat, open flames, sparks. - No smoking. Keep container tightly closed. Take precautionary measures against static discharge. Ground/bond container and receiving equipment. Use explosion-proof electrical, lighting, ventilating equipment. Use only non-sparking tools. Wash hands, forearms, and exposed areas thoroughly after handling. Wear eye protection, protective gloves, protective clothing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention. Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Not available.

## SECTION 3: Composition/information on ingredients

### 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Ethanol	Ethyl alcohol; ETOH; methyl carbinol	64-17-5	90 - 100%

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

<b>If inhaled</b>	If symptoms are experienced, remove source of contamination or move to fresh air. If breathing is difficult, get medical attention.
<b>In case of skin contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation is experienced, flush with water. Get medical attention if irritation develops and persists, get medical attention.
<b>In case of eye contact</b>	Immediately flush eyes with water for at least 15 minutes while holding. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms persist.

**If swallowed** Rinse mouth. Do NOT induce vomiting. If the material is swallowed, get medical attention or advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing media** Water spray, alcohol resistant foam, BC-powder, Carbon dioxide (CO<sub>2</sub>)

**Unsuitable extinguishing media** Water jet

#### 5.2 Specific hazards arising from the substance or mixture

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### 5.3 Special protective equipment and precautions for firefighters

Hazardous combustion products: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>). In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### 5.4 Further information

**Flash Point** 9.7 °C at 1,013 hPa (ECHA)

**Autoignition Temperature** 455 °C at 1,013 hPa

##### Explosion limits

**Upper** No information available

**Lower** No information available

**Sensitivity to Mechanical Impact** No information available

**Sensitivity to Static Discharge** No information available

##### NFPA

Health	Flammability	Instability	Physical hazards
-	-	-	-

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons to safety. Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and materials for containment and cleaning up

In case of a spill, cover drains. Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder. Use of absorbent materials. Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

See section 2 for full list of hazard and precaution statements.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Precautions on safe handling

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in wellventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

#### Hygiene measures

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feeding stuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight. Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight. Use local and general ventilation. Ground/bond container and receiving equipment. Only packagings which are approved may be used.

**Incompatibilities**

Strong oxidizing agents

**SECTION 8: Exposure controls/personal protection**

**8.1 Occupational exposure limits**

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Component	Type	Value
Ethanol	PEL	1000 ppm 1900 mg/m3

**US. ACGIH Threshold Limit Values**

Component	Type	Value
Ethanol	STEL	1000 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards**

Component	Type	Value
Ethanol	TWA	1000 ppm 1900 mg/m3

**Biological occupational exposure limits**

No information available

**8.2 Exposure controls**

**Appropriate engineering controls**

General ventilation

**Personal protective equipment**

**Eye/face protection**

Wear eye/face protection. Use safety goggles with side protection. Wear face-shield.

**Skin protection**

Hand protection: wear suitable gloves.

**Body Protection**

Wear suitable clothing to minimize skin exposure.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Control of environmental exposure

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Pungent
Odor Threshold	No information available
pH	No information available
Melting Point/Range	-97.8 °C
Boiling Point/Range	64.7 °C at 1,013 hPa
Evaporation Rate	9.7 °C at 1,013 hPa
Flammability (solid)	No information available
Flammability or explosive limit	
Upper	No information available
Lower	No information available
Vapor Pressure	169.3 hPa at 25 °C (ECHA)
Vapor Density	No information available
Density	786.4 kg/m <sup>3</sup> at 25 °C
Solubility	≥1,000 g/l at 20 °C
Partition coefficient; n-octanol/water	log Kow: -0.77
Autoignition Temp	455 °C at 1,013 hPa
Decomposition Temp	No information available
Viscosity	0.544 – 0.59 mPa s at 25 °C
Molecular Formula	C <sub>2</sub> H <sub>6</sub> O
Molecular Weight	46.069
VOC Content(%)	No information available
Oxidizing properties	No information available

### 9.2 Other safety information

No information available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Reactive. Risk of ignition.

### 10.2 Chemical stability

See section 10.4

### 10.3 Possibility of hazardous reactions

No known hazardous reactions

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

#### Acute toxicity

Not toxic

#### Skin corrosion/irritation

Not corrosive/irritant to skin in small amounts.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Not classified as a germ cell mutagenic.

#### Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Ethanol 200 proof	64-17-5	Not listed	Not listed	Not listed	Not listed	Not listed

#### Specific target organ toxicity - single exposure

None known

#### Specific target organ toxicity - repeated exposure

None known

#### Reproductive toxicity

No information available

**Chronic effects**

No information available

**11.2 Additional Information**

No information available

**SECTION 12: Ecological information**

**12.1 Toxicity**

No information available

**12.2 Persistence and degradability**

Biodegradation

**12.3 Bio accumulative potential**

n-octanol/water (log Kow): -0.77

**12.4 Mobility in soil**

No information available

**12.5 Results of PBT and vPvB assessment**

No information available

**12.6 Endocrine disrupting properties**

No information available

**12.7 Other adverse effects**

No information available

**SECTION 13: Disposal considerations**

**13.1 Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

**SECTION 14: Transport information**

**DOT (US)**

<b>UN-No</b>	UN1170
<b>Proper Shipping Name</b>	ETHANOL
<b>Hazard Class</b>	3
<b>Packing Group</b>	II

**IMDG**

**UN-No** UN1170  
**Proper Shipping Name** ETHANOL  
**Hazard Class** 3  
**Packing Group** II

**IATA**

**UN-No** UN1170  
**Proper Shipping Name** ETHANOL  
**Hazard Class** 3  
**Packing Group** II

**SECTION 15: Regulatory information**

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Listed

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous**

See section 2 for full information

**SARA 313 (TRI reporting)**

Not regulated

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act**

Not regulated

**FEMA Priority Substances Respiratory Health and Safety in the Flavor  
Manufacturing Workplace**

Low priority

**US state regulations**

**US. Massachusetts RTK - Substance List**

Listed

**US. New Jersey Worker and Community Right-to-Know Act**

Listed

**US. Pennsylvania Worker and Community Right-to-Know Law**

Listed

**California Proposition 65**

Not listed

**SECTION 16: Other information**

Issue date: 06/18/2018

Revision 1: 05/23/2023

Revision 2: 07/01/2024

Revision 3: 08/13/2024

**SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.