

Certificate of Analysis

Product: Ethanol HPLC Grade 200 Proof (100%) Non-Denatured Pure Alcohol

Item Number: EAPHPLC200

Grade: HPLC

Lot Number: 5001142/1.1

Manufacture Date: 02/21/2025

Expiration Date: 02/20/2028

Country of Origin: United States

Tested Property	Specification	Analysis
Assay by GC (Corrected for water)	Min 99.50%	99.98
Color APHA	Max 10	1
Solubility in Water	To Pass Test	Passes
Residue after Evaporation	Max 0.001%	0.000
Acetone/Isopropyl Alcohol	To Pass Test	Passes
Titration Acid	Max 0.0005 meq/g	0.0003
Titration Base	Max 0.0002 meq/g	0.0001
Methanol	Max 0.1%	Passes
Substances Darkened by Sulfuric Acid	To Pass Test	Passes
Substances Reducing Permanganate	To Pass Test	Passes
UV Absorbance	Max 0.01AU @ 270-400 nm	0.00
	Max 0.08 AU @ 240 nm	0.05
	Max 0.18 AU @ 230 nm	0.11
	Max 0.30 AU @ 220 nm	0.22
Proof	Lot Analysis	200.0
Specific Gravity	Max 0.7962 @ 15.56°C	0.7936
Water	Max 0.2 wt%	0.02

[Ethanol HPLC Grade 200 Proof \(100%\) Non-Denatured Pure Alcohol](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley



tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley