

Certificate of Analysis

Product: Ethyl Acetate
Item Number: ETACL
Grade: Lab
Lot Number: 5001014/1.1
Manufacture Date: 12/30/2024
Expiration Date: 12/29/2026
Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Clear	Clear
Assay by GC	99.50 - 100.00 wt%	99.91
Color	0 - 10 APHA	3
Residue after evaporation	Max 0.003%	Pass
Water in volatile solvents	0.000 - 0.200%	0.014
Titration Acid	Max 0.0009 meq/g	Pass
Substance darkened by H ₂ SO ₄	To pass the test	Pass
Density at 25°C	0.893 - 0.912 g/ml	0.901
Refractive index at 20°C	1.36860 - 1.37360	1.37240

[Ethyl Acetate](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley