

Certificate of Analysis

Product: Ferrous Gluconate
Item Number: C3925
Grade: USP
Lot Number: 250604-M
Manufacture Date: 07/10/2024
Expiration Date: 07/09/2027
Country of Origin: United States

Tested Property	Specification	Analysis
Assay	97.0 - 102.0%	100.3
ID Test A	To Pass Test	Passes
ID Test B	To Pass Test	Passes
Residual Solvents	To Conform to USP	Conforms
Loss On Drying	6.5 - 10.0%	8.3
Chloride	</=0.07%	<0.07
Ferric Iron	</=2.0%	0.021
Oxalic Acid	To Pass Test	Passes
Reducing Sugars	To Pass Test	Passes
Sulfate	</=0.1%	<0.1
Arsenic	</=3 ppm	0.10
Lead	</=2 ppm	0.01
Mercury	</=3 ppm	<3
Aerobic Plate Count	</=1000 cfu/g	<1000
Yeast and Mold Count	</=100 cfu/g	<100
Total Coliforms	Negative	Negative

Not for pharmaceutical/API use.

[Ferrous Gluconate](#)

Phone: 512-668-9918, Fax: 512-886-4008,
 E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley



Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley