

Certificate of Analysis

Product: Ferrous Sulfate
Item Number: C3930
Grade: ACS
Lot Number: 240312-C
Manufacture Date: 08/07/2022
Expiration Date: 08/06/2026
Country of Origin: United States

Tested Property	Specification	Analysis
Assay	99.0% min	102.7%
Insoluble matter	0.01% max.	0.002%
Chloride	0.001% max.	<0.001%
Phosphate	0.001%	0.0008%
Calcium	0.005%	0.001%
Copper	0.005%	<0.0001%
Ferric ion	0.1%	<0.1%
Manganese	0.05%	0.02%
Potassium	0.002%	0.0004%
Sodium	0.02%	0.0002%
Zinc	0.005%	0.002%

[Ferrous Sulfate](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley