

Certificate of Analysis

Product: Formic Acid 99%
Item Number: C3994
Grade: LCMS
Lot Number: 240110-A
Manufacture Date: 01/10/2024
Expiration Date: 01/09/2028
Country of Origin: United States

Tested Property	Specification	Analysis
Assay	≥99.0%	99.2%
Color (APHA)	<10	1
Heavy Metals (as Pb)	≤0.1 ppm	<0.1ppm
Residue after Evaporation	≤0.002%	<0.002%
Chloride	≤5 ppm	<5 ppm
Sulfate	≤5 ppm	<5 ppm
Copper	≤0.1 ppm	<0.1ppm
Cadmium	≤0.1 ppm	<0.1 ppm
Iron	≤2 ppm	<2 ppm
Lead	≤0.1ppm	<0.1ppm

[Formic Acid 99%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley