

Certificate of Analysis

Product: Glycerin 99%, Kosher, Halal
Item Number: GLF
Grade: USP/FCC
Lot Number: 5001538/1.1
Manufacture Date: 08/15/2025
Expiration Date: 07/15/2027
Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Clear and Transparent	Pass
Glycerin Content	Min 99.7%	99.8
Identification A by IR	Pass	Pass
Identification C by GC	Pass	Pass
Specific Gravity (25/25°C)	Min 1.249	1.257
Color APHA	Max 10	Pass
Residue on Ignition	Max 0.01%	0.00
Chlorides	Max 10 ppm	<10
Sulfates	Max 20 ppm	<20
Chlorinated Compounds	Max 30 ppm	<30
Fatty Acid and Esters (0.5N NaOH)	Max 1 mL	Pass
Diethylene Glycol	Max 0.10%	<0.10
Ethylene Glycol	Max 0.1%	<0.10
Water Content	Max 0.3%	0.1
Individual Impurities	Max 0.1%	<0.1
Total Impurities	Max 1.0%	<1.0
Heavy Metals	Max 5 ppm	<1

[Glycerin 99%, Kosher, Halal](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory

Phone: 512-668-9918, Fax: 512-886-4008,
 E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley



tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley