

Certificate of Analysis

Product: Hexanes 99.9%
Item Number: HXA
Grade: ACS
Lot Number: 5001129/1.1
Manufacture Date: 09/25/2024
Expiration Date: 09/24/2027
Country of Origin: United States

Tested Property	Specification	Analysis
n-Hexane Content	>50%	62.7
Assay (as Total Hexanes)	Min 98.5%	99.84
Color (APHA)	Max 10	<5
Residue after Evaporation	Max 0.001%	<0.0005
Water Soluble Titrable Acid	Max 0.0003 meq/g	<0.0001
Sulfur Compounds (as S)	Max 0.005%	<0.005
Thiophene	To Pass Test	Pass
Density @ 25°C	0.653 - 0.673 g/ml	0.670
Boiling Range	68 - 70°C	Pass

[Hexanes 99.9%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley