

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name            Hydrochloric Acid 31% Solution  
CAS number            7647-01-0  
Synonyms                Muriatic acid solution

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses            Laboratory Chemicals

#### 1.3 Details of the supplier of the safety data sheet

Company                    Lab Alley, LLC  
                                  12501 Pauls Valley Road  
                                  Austin, Texas 78737  
                                  U.S.A.  
Telephone                 512-668-9918  
Fax                            512-886-4008

#### 1.4 Emergency telephone

<b>Emergency Phone #</b>	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC

### SECTION 2: Hazards identification


#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals	Category 1
Skin Corrosion/Irritation	Category 1B
Serious Eye Damage/Eye Irritation	Category 1
Specific Target Organ Toxicity - (single exposure)	Category 3

Target Organ(s) - Respiratory system

## 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard statements	May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statements	Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands, face, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Keep only in original container. Response: Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Take off all contaminated clothing immediately. Rinse skin with water/shower. Wash contaminated clothing before re use. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Spills: Absorb spillage to prevent material damage. Storage: Store locked up in a dry, well-ventilated place in a tightly closed, corrosive-resistant polypropylene container with a resistant liner. Disposal: Dispose of contents/container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

## SECTION 3: Composition/information on ingredients

### 3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Water	H <sub>2</sub> O; Aqua	7732-18-5	69%
Hydrochloric acid	Muriatic Acid	7647-01-0	31%

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

<b>If inhaled</b>	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
<b>In case of skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>In case of eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention required
<b>If swallowed</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes swelling, severe damage to delicate tissue, and danger of perforation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.
<b>Unsuitable extinguishing media</b>	No information available.

### 5.2 Specific hazards arising from the substance or mixture

Corrosive material. Causes burns by all exposure routes. Thermal decomposition can lead to release of irritating gases and vapors.  
Hazardous Combustion Products: Hydrogen chloride gas.

### 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 5.4 Further information

**Flash Point** No information available.

**Autoignition Temperature** No information available.

### Explosion limits

**Upper** No data available

**Lower** No data available

**Sensitivity to Mechanical Impact** No information available.

No information available.

**Sensitivity to Static Discharge**

#### NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	N/A

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not get in eyes, on skin, or on clothing.

### 6.2 Environmental precautions

Should not be released into the environment.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements. See Section 12 for additional Ecological Information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Wear personal protective equipment. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep containers tightly closed in a dry, cool, and well-ventilated place. Corrosives area.

### Incompatibilities

Metals, strong oxidizing agents, sodium hypochlorite, amines, bases, fluorine, cyanides, alkaline.

## SECTION 8: Exposure controls/personal protection

### 8.1 Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value	
Hydrochloric acid	Ceiling	5 ppm	7 mg/m <sup>3</sup>
	(Vacated) Ceiling	5 ppm	7 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values

Component	Type	Value
Hydrochloric acid	TLV	2 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value	
Hydrochloric acid	IDLH	50 ppm	
	Ceiling	5 ppm	7 mg/m <sup>3</sup>

#### Biological occupational exposure limits

No information available.

### 8.2 Exposure controls

#### Appropriate engineering controls

Ensure that eyewash stations and safety showers are close to the workstation location.

#### Personal protective equipment

##### Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles, as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN 166

##### Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

##### Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

### Respiratory protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

### Control of environmental exposure

No information available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Pungent
Odor Threshold	No information available.
pH	< 1
Melting Point/Range	-35°C / -31°F
Boiling Point/Range	57°C / 135°F @ 760 mmHg
Evaporation Rate	No information available
Flammability (solid)	Not applicable
Flammability or explosive limit	No data available
Upper	
Lower	
Vapor Pressure	125 mbar @ 20°C
Vapor Density	1.27 (Air = 1.0)
Density	1.18
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temp	No information available
Decomposition Temp	No information available
Viscosity	1.8 mPa.s @ 15°C
Molecular Formula	HCl
Molecular Weight	36.46 g/mol
VOC Content(%)	No information available
Oxidizing properties	No information available

### 9.2 Other safety information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No known reaction hazards, based on information available.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Contact with metals may evolve flammable hydrogen gas.

### 10.4 Conditions to avoid

Incompatible materials, excess heat.

### 10.5 Incompatible materials

Metals, strong oxidizing agents, sodium hydroxide, amines, bases, fluorine, cyanides, alkaline.

### 10.6 Hazardous decomposition products

Hydrogen chloride gas.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

##### Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	238-277 mg/kg (Rat)	5010 mg/kg (Rabbit)	1.68 mg/L (Rat) 1 hr

##### Skin corrosion/irritation

Causes burns by all exposure routes.

##### Serious eye damage/eye irritation

Causes burns by all exposure routes.

##### Respiratory or skin sensitization

Causes burns by all exposure routes.

##### Germ cell mutagenicity

Mutagenic effects have occurred in experimental animals.

##### Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
-----------	-----	------	-----	-------	------	--------

Hydrochloric acid	7647-01-0	Group 3	Not listed	Not listed	Not listed	Not listed
-------------------	-----------	---------	------------	------------	------------	------------

**Specific target organ toxicity - single exposure**

Respiratory system.

**Specific target organ toxicity - repeated exposure**

None known.

**Reproductive toxicity**

Experiments have shown reproductive toxicity effects on laboratory animals.

**Chronic effects**

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to delicate tissue, and danger of perforation.

**11.2 Additional Information**

See actual entry in RTECS for complete information.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Do not empty into drains.

Product		Species	Test Results
Hydrochloric acid	LC50	Freshwater Fish	282 mg/L 96h

**12.2 Persistence and degradability**

Persistence is unlikely based on information available.

**12.3 Bio accumulative potential**

No information available.

**12.4 Mobility in soil**

Will likely be mobile in the environment due to its water solubility.

**12.5 Results of PBT and vPvB assessment**

No information available.

**12.6 Endocrine disrupting properties**

No information available.

**12.7 Other adverse effects**

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## SECTION 14: Transport information

### DOT (US)

UN Number	UN1789
Proper Shipping name	HYDROCHLORIC ACID, SOLUTION
Hazard Class	8
Packaging Group	II

### IMDG

UN Number	UN1789
Proper Shipping name	HYDROCHLORIC ACID, SOLUTION
Hazard Class	8
Packaging Group	II

### IATA

UN Number	UN1789
Proper Shipping name	HYDROCHLORIC ACID, SOLUTION
Hazard Class	8
Packaging Group	II

## SECTION 15: Regulatory information

<b>US federal regulations</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
-------------------------------	--

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
Not applicable.

**CERCLA Hazardous Substance List (40 CFR 302.4)**  
Listed, Hydrochloric acid (CAS# 7647-01-0), RQ: 5000 lb.

**SARA 304 Emergency release notification**  
Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**  
Not applicable.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous**

See Section 2 for more information.

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Listed, Hydrochloric acid (CAS# 7647-01-0).

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Listed, Hydrochloric acid (CAS# 7647-01-0).

**Safe Drinking Water Act**

Not regulated.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Not listed.

**US state regulations**

**US. Massachusetts RTK - Substance List**

Listed, Hydrochloric acid (CAS# 7647-01-0).

**US. New Jersey Worker and Community Right-to-Know Act**

Listed, Hydrochloric acid (CAS# 7647-01-0).

**US. Pennsylvania Worker and Community Right-to-Know Law**

Listed, Hydrochloric acid (CAS# 7647-01-0).

**California Proposition 65**

Not listed.

**SECTION 16: Other information**

Date of Issue: 11/07/2019

Revised on 06/12/2026

**SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.