

Certificate of Analysis

Product: Hydrochloric Acid 5% Solution, Reagent Grade

Item Number: HCLA5

CAS#: 7647-01-0

Grade: Reagent

Lot Number: 5002500/1.1-5-102926

Manufacture Date: 10/29/2026

Expiration Date: 10/28/2028

Country of Origin: United States

Tested Property	Specification	Analysis
Appearance @ 25°C	Clear liquid	Passes
Hydrochloric Acid Concentration	4.9 - 5.1 wt%	5.0 wt%
DI Water	Balance	Pass

Store in a cool, dry, and well-ventilated place

[Hydrochloric Acid 5% Solution, Reagent Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,

www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley