

Certificate of Analysis

Product: Hydrochloric Acid 6M, Lab Grade

Item Number: HCASA6M

CAS#: 7647-01-0

Grade: ACS

Lot Number: 5002024/1.2-6M-62526

Manufacture Date: 06/25/2026

Expiration Date: 06/24/2028

Country of Origin: United States

Tested Property	Specification	Analysis
Appearance @ 25°C	Clear liquid	Pass
Concentration, HCl	6.00M±0.12M	6.00

Store in a cool, dry, and well-ventilated environment.
Formulated using ACS grade Hydrochloric Acid.

[Hydrochloric Acid 6M, Lab Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley