

### Certificate of Analysis

**Product: Hydrogen Peroxide 10%**  
**Item Number: HPF10**  
**Grade: FCC**  
**Lot Number: 5001216/1.1-10-52725**  
**Manufacture Date: 05/27/2025**  
**Expiration Date: 05/26/2027**  
**Country of Origin: United States**

<b>Tested Property</b>	<b>Specification</b>	<b>Analysis</b>
Hydrogen Peroxide vol %	9.0-11.0	10.0
Specific gravity 25°, °C	1.020 - 1.040	1.035
Appearance	Clean, Water White	Pass
Water, vol %	89.0 - 91.0	90.0

#### [Hydrogen Peroxide 10%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [customercare@laballey.com](mailto:customercare@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley