



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Hydrogen Peroxide 15%

CAS number 7722-84-1

Synonyms N/A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory Chemicals

1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC
12501 Pauls Valley Road
Austin, Texas 78737
U.S.A.

Telephone 512-668-9918

Fax 512-886-4008

1.4 Emergency telephone

Emergency Phone #	US & Canada: 1-800-535-5053	INFOTRAC
	International 1-352-323-3500	INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing Liquids (Category 3)

Acute Toxicity (Category 4)

Serious Eye Damage (Category 1)

Specific Target Organ Toxicity (single exposure) (Category 3)

Target Organ(s) - Respiratory system

2.2 GHS Label elements, including precautionary statements



Pictogram

Signal Word Danger

Hazard statements May intensify fire; oxidizer.
Harmful if swallowed.
Causes serious eye damage.
May cause respiratory irritation.

Precautionary statements Prevention: Keep away from heat. Keep /store away from clothing /combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.
IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
IF INHALED: Remove a person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Fire: In case of fire, use dry chemical, or alcohol-resistant foam to extinguish.
Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal: Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

SECTION 3: Composition/information on ingredients

3.1 Components

Chemical name	Common name and synonyms	CAS number	Concentration
Water	Aqua; H ₂ O	7732-18-5	85%
Hydrogen Peroxide	Hydrogen dioxide; Hyperoxide	7722-84-1	15%

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

If inhaled Remove to fresh air. Get medical attention immediately if symptoms occur.

In case of skin contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists. Get medical advice/attention.
If swallowed	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3 Indication of any immediate medical attention and special treatment needed

If symptoms persist, call a physician. Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray, alcohol-resistant foam, BC-powder, Carbon dioxide (CO₂).

Unsuitable extinguishing media Water jet.

5.2 Specific hazards arising from the substance or mixture

Non-combustible. Containers may explode when heated.
Hazardous Combustion Products: Oxygen.

5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information

Flash Point No information available.

Autoignition Temperature No information available.

Explosion limits

Upper No data available

Lower No data available

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

Health	Flammability	Instability	Physical hazards
--------	--------------	-------------	------------------

2	0	1	OX
---	---	---	----

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with skin and eyes.

6.2 Environmental precautions

Should not be released into the environment.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid contact with skin, eyes, or clothing.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep cool and protect from sunlight. Contents may develop pressure upon prolonged storage. Containers should be vented periodically in order to overcome pressure buildup. Do not store in metal containers.

Incompatibilities

Metals.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value	
Hydrogen Peroxide	TWA	1 ppm	1.4 mg/m3

US. ACGIH Threshold Limit Values

Component	Type	Value
Hydrogen Peroxide	TWA	1 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Type	Value
Hydrogen Peroxide	TWA	1 ppm 1.4 mg/m3

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

Ensure that eyewash stations and safety showers are close to the workstation location.
Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

No protective equipment is needed under normal use conditions.
Recommended Filter type: Particle filter.

Control of environmental exposure

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Odorless
Odor Threshold	No information available.
pH	2 - 4 @ 20 °C (68 °F)
Melting Point/Range	-27 °C (-17 °F)

Boiling Point/Range	106 °C (223 °F)
Evaporation Rate	No information available
Flammability (solid)	Not applicable
Flammability or explosive limit	
Upper	No data available
Lower	No data available
Vapor Pressure	17.4 - 25 mmHg
Vapor Density	No information available
Density	1.12 @ 20 - 25 °C (68 - 77 °F)
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temp	No information available
Decomposition Temp	No information available
Viscosity	1.25 mPa.s
Molecular Formula	H ₂ O ₂
Molecular Weight	34.01 g/mol
VOC Content(%)	No information available
Oxidizing properties	Oxidizer

9.2 Other safety information No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

None known, based on information available.

10.3 Possibility of hazardous reactions

Product will not undergo hazardous polymerization. Stable under recommended storage conditions.

10.4 Conditions to avoid

Exposure to light. Heat. Incompatible products.

10.5 Incompatible materials

Reducing agents, bases, alcohols, flammable materials, organic solvent, metals.

10.6 Hazardous decomposition products

Oxygen

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrogen Peroxide	1193 mg/kg	-	-

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Risk of serious damage to eyes.

Respiratory or skin sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Hydrogen peroxide	7722-84-1	Not listed	Not listed	A3	Not listed	A3

Specific target organ toxicity - single exposure

Respiratory system.

Specific target organ toxicity - repeated exposure

None known.

Reproductive toxicity

None known.

Chronic effects

No information available.

11.2 Additional Information

The toxicological properties have not been fully investigated.

SECTION 12: Ecological information

12.1 Toxicity

Product		Species	Test Results
Hydrogen peroxide	LC50	Water Flea (D.pulex)	2.4 mg/L, 48h
	EC50	Microtox (S. costatum)	1.38 mg/L, 72h

12.2 Persistence and degradability

No information available.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US)

UN-no	UN2984
Proper Shipping Name	Hydrogen peroxide, aqueous solutions
Hazard Class	5.1
Packing Group	III

IMDG

UN-no	UN2984
Proper Shipping Name	Hydrogen peroxide, aqueous solutions
Hazard Class	5.1
Packing Group	III

IATA

UN-no	UN2984
Proper Shipping Name	Hydrogen peroxide, aqueous solutions
Hazard Class	5.1
Packing Group	III

SECTION 15: Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
-------------------------------	--

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not applicable.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not applicable.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

See Section 2 for more information.

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed.

US state regulations

US. Massachusetts RTK - Substance List

Listed, Hydrogen Peroxide (CAS #7722-84-1).

US. New Jersey Worker and Community Right-to-Know Act

Listed, Hydrogen Peroxide (CAS #7722-84-1).

US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Hydrogen Peroxide (CAS #7722-84-1).

California Proposition 65

Not listed.

SECTION 16: Other information

Issue date:11/27/2023

Revised on 07/08/2026

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.