

Certificate of Analysis

Product: Hydrogen Peroxide 15% Solution, Lab Grade

Item Number: HPL15

CAS#: 7722-84-1

Grade: Lab

Lot Number: 5001604/1.1-15-12726

Manufacture Date: 01/27/2026

Expiration Date: 01/26/2028

Country of Origin: United States

| Tested Property | Specification | Analysis |
|---------------------------------|----------------------|-----------------|
| Hydrogen Peroxide Concentration | 14.0- 16.0 % | 15.0 |
| DI Water | 84.0% - 86.0% | 85.0 |
| Specific Gravity @ 25°C | 1.42 - 1.47 | 1.45 |

Store in a dry and well-ventilated place.

[Hydrogen Peroxide 15% Solution, Lab Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley