

Certificate of Analysis

Product: Hydrogen Peroxide 30% Solution, Lab Grade

Item Number: HPL30

CAS#: 7722-84-1

Grade: Lab

Lot Number: 5002008/2.1-30-42826

Manufacture Date: 04/28/2026

Expiration Date: 04/27/2028

Country of Origin: United States

| Tested Property | Specification | Analysis |
|----------------------------------|----------------------|-----------------|
| Concentration, Hydrogen Peroxide | 29.0 - 31.0% | 30.0 |
| Appearance | Clear liquid | Pass |

Store in a cool, dry, and well-ventilated place.

[Hydrogen Peroxide 30% Solution, Lab Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley