

### Certificate of Analysis

**Product: Hydrogen Peroxide 34%**

**Item Number: HPF34**

**Grade: FCC**

**Lot Number: 5001011/1.1**

**Manufacture Date: 11/11/2024**

**Expiration Date: 11/10/2026**

**Country of Origin: United States**

<b>Tested Property</b>	<b>Specification</b>	<b>Analysis</b>
Visual/Color by UNS-001	Clear, no debris	Pass
Identification by FCC method	To pass the test	Pass
Specific Gravity by LAB-004	As reported	1.1323
Hydrogen Peroxide by FCC method	34.0 - 34.8%	34.7

Storage conditions: cool areas away from direct sunlight and combustibles.

#### [Hydrogen Peroxide 34%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [customercare@laballey.com](mailto:customercare@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley