

Certificate of Analysis

Product: Hydrogen Peroxide 6% Solution

Item Number: HPF6

Grade: FCC

Lot Number: 5001811/1.1-6-21226

Manufacture Date: 02/12/2026

Expiration Date: 02/11/2028

Country of Origin: United States

Tested Property	Specification	Analysis
Hydrogen Peroxide, Vol %	5.5 - 6.5	6.0
DI Water, Vol %	93.5 - 94.5	94.0
Appearance	Clean, Water White	Pass
Specific Gravity at 25°C	As reported	1.0108

Store in a cool, dry, and well-ventilated environment.
CAS RN: 7722-84-1

[Hydrogen Peroxide 6% Solution](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley