

### Certificate of Analysis

**Product: Isoamyl Alcohol Analytical Reagent Grade**

**Item Number: C1750**

**CAS#: 123-51-3**

**Grade: Reagent**

**Lot Number: 260407-2A**

**Manufacture Date: 05/16/2025**

**Expiration Date: 05/15/2028**

**Country of Origin: United States**

Tested Property	Specification	Analysis
Assay (amyl alcohols)	Min. 98.0%	99.68
Refractive Index @ 20°C	1.4050 - 1.4100	1.4076
Specific Gravity @25°C	0.8070 - 0.8130	0.8099
Appearance	Clear to Light Yellow	Conforms

Store in a cool, dry, and well-ventilated environment away from heat.

#### [Isoamyl Alcohol Analytical Reagent Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [customercare@laballey.com](mailto:customercare@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley