

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name Isopropyl Alcohol 70%

CAS number 67-63-0

Synonyms 2-Propanol; IPA; Isopropanol

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory Chemicals

#### 1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC  
12501 Pauls Valley Road  
Austin, Texas 78737  
U.S.A.

Telephone 512-668-9918  
Fax 512-886-4008

#### 1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC  
International 1-352-323-3500 INFOTRAC


### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids Category 2  
Eye Irritation Category 2A  
Specific Target Organ Toxicity (single exposure) Category 3  
Target Organ(s) - Central nervous system (CNS)

## 2.2 GHS Label elements, including precautionary statements

|                          |   |
|--------------------------|---|
| Pictogram                |    |
| Signal Word              | Danger  |
| Hazard statements        | Highly flammable liquid and vapor.<br>Causes serious eye irritation.<br>May cause drowsiness or dizziness.  |
| Precautionary statements | Prevention: Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapors. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.<br>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.<br>IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.<br>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.<br>Fire: In case of fire, use dry sand, dry chemical or alcohol-resistant foam to extinguish.<br>Storage: Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.<br>Disposal: Dispose of contents/ container to an approved waste disposal plant. |

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

### SECTION 3: Composition/information on ingredients

#### 3.1 Components

| Chemical name | Common name and synonyms            | CAS number | Concentration |
|---------------|-------------------------------------|------------|---------------|
| 2-propanol    | Isopropyl alcohol; IPA; Isopropanol | 67-63-0    | 70%           |
| Water         | Aqua; H2O                           | 7732-18-5  | 30%           |

### SECTION 4: First aid measures

## 4.1 Description of first-aid measures

### General advice

|                                |   |
|--------------------------------|---|
| <b>If inhaled</b>              | Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.                      |
| <b>In case of skin contact</b> | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.     |
| <b>In case of eye contact</b>  | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| <b>If swallowed</b>            | Do NOT induce vomiting. Get medical attention.  |

## 4.2 Most important symptoms and effects, both acute and delayed

Difficulty in breathing. May cause central nervous system depression. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea, and vomiting.

## 4.3 Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

# SECTION 5: Firefighting measures

## 5.1 Extinguishing media

|                                       |   |
|---------------------------------------|---|
| <b>Suitable extinguishing media</b>   | CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| <b>Unsuitable extinguishing media</b> | Water may be ineffective.   |

## 5.2 Specific hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.  
Hazardous Combustion Products: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), peroxides.

## 5.3 Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## 5.4 Further information

|                    |                 |
|--------------------|-----------------|
| <b>Flash Point</b> | 18 °C / 64.4 °F |
|--------------------|-----------------|

**Autoignition Temperature** 750.2 °F (399 °C)

**Explosion limits**

**Upper** 12.7% v/v

**Lower** 2% v/v

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

**NFPA**

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 2      | 3            | 0           | N/A              |

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Remove all sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing.

**6.2 Environmental precautions**

Avoid discharge into drains, water courses, or onto the ground.

**6.3 Methods and materials for containment and cleaning up**

Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

See Section 2 for full list of hazard and precaution statements. For disposal, see Section 13.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Wear personal protective equipment. Keep away from open flames, hot surfaces, and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest.

**Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage conditions**

Store locked up. Keep away from heat, sparks, and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials.

**Incompatibilities**

Strong oxidizing agents. Acids. Halogens. Acid anhydrides.

**SECTION 8: Exposure controls/personal protection**

**8.1 Occupational exposure limits**

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

| Component         | Type           | Value   |            |
|-------------------|----------------|---------|------------|
| Isopropyl alcohol | (Vacated) TWA  | 400 ppm | 980 mg/m3  |
|                   | (Vacated) STEL | 500 ppm | 1225 mg/m3 |

**US. ACGIH Threshold Limit Values**

| Component         | Type | Value   |
|-------------------|------|---------|
| Isopropyl alcohol | TWA  | 200 ppm |
|                   | STEL | 400 ppm |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Component         | Type | Value    |            |
|-------------------|------|----------|------------|
| Isopropyl alcohol | IDLH | 2000 ppm |            |
|                   | TWA  | 400 ppm  | 980 mg/m3  |
|                   | STEL | 500 ppm  | 1225 mg/m3 |

**ACGIH Biological Exposure Indices**

| Component         | Parameter,value | Biological specimen | Remarks |
|-------------------|-----------------|---------------------|---------|
| Isopropyl alcohol | 40 mg/L         | Acetone             | Urine   |

**8.2 Exposure controls**

**Appropriate engineering controls**

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Personal protective equipment**

**Eye/face protection**

Chemical goggles are recommended.

**Skin protection**

Nitrile, butyl rubber, or neoprene gloves are recommended. Other suitable gloves can be recommended by the glove supplier. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.

### Body Protection

Wear appropriate chemical resistant clothing.

### Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respirator type: Chemical respirator with organic vapor cartridge.

### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|   |                            |
|---|----------------------------|
| Physical State                            | Liquid                     |
| Appearance                                | Colorless                  |
| Odor                                      | Alcohol-like               |
| Odor Threshold                            | No information available   |
| pH  | No information available   |
| Melting Point/Range                       | -88 °C / -126.4 °F         |
| Boiling Point/Range                       | 82 °C / 179.6 °F           |
| Evaporation Rate                          | No information available   |
| Flammability (solid)                      | No information available   |
| Flammability or explosive limit           |                            |
| Upper                                     | 12.7% v/v                  |
| Lower                                     | 2% v/v                     |
| Vapor Pressure                            | 20 mmHg @ 332°C            |
| Vapor Density                             | No information available   |
| Density                                   | 0.785 g/ml (77 °F (25 °C)) |
| Solubility                                | Soluble                    |
| Partition coefficient;<br>n-octanol/water | No data available          |
| Autoignition Temp                         | 750.2 °F (399 °C)          |
| Decomposition Temp                        | No information available   |
| Viscosity                                 | No information available   |
| Molecular Formula                         | C3H8O                      |
| Molecular Weight                          | 60.1 g/mol                 |
| VOC Content(%)                            | No information available   |

Oxidizing properties No information available

**9.2 Other safety information** No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product is stable and non-reactive under normal conditions of use, storage, and transport.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to avoid

Heat, flames, and sparks. Keep away from open flames, hot surfaces, and sources of ignition.

### 10.5 Incompatible materials

Strong oxidizing agents, Acids, Halogens, Acid anhydrides, Metals.

### 10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), peroxides.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product Information, Component Information

#### Acute toxicity

| Component         | LD50 Oral                              | LD50 Dermal       | LC50 Inhalation    |
|-------------------|--|-------------------|--------------------|
| Isopropyl alcohol | 5045 mg/kg (Rat)<br>3600 mg/kg (Mouse) | 12800 mg/kg (Rat) | 72.6 mg/L 4h (Rat) |

#### Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

Not a respiratory sensitizer. This product is not expected to cause skin sensitization.

### Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

### Carcinogenicity

| Component         | CAS     | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------------|---------|------------|------------|------------|------------|------------|
| Isopropyl alcohol | 67-63-0 | Not listed | Not listed | Not listed | Not listed | Not listed |

### Specific target organ toxicity - single exposure

Central nervous system (CNS). May cause drowsiness and dizziness.

### Specific target organ toxicity - repeated exposure

Not classified.

### Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

### Chronic effects

Prolonged inhalation may be harmful.

## 11.2 Additional Information

No information available.

## SECTION 12: Ecological information

### 12.1 Toxicity

| Product           | Species   | Test Results  |
|-------------------|---|---|
| Isopropyl alcohol | Freshwater Algae ( <i>Desmodesmus subspicatus</i> ) | EC50 > 1000 mg/L, 96h<br>EC50 > 1000 mg/L, 72h                      |
|                   | Freshwater Fish ( <i>Pimephales promelas</i> )      | LC50 = 9640 mg/L, 96h flow through<br>LC50 = 11130 mg/L, 96h static |
|                   | Freshwater Fish ( <i>Lepomis macrochirus</i> )      | LC50 > 1400000 µg/L, 96h  |
|                   | Freshwater Fish ( <i>Daphnia</i> )                  | LC50 = 10000000 µg/L, 96h   |
|                   | Microtox ( <i>Photobacterium phosphoreum</i> )      | EC50 = 35390 mg/L, 5 min  |
|                   | Water Flea  | EC50 = 13299 mg/L, 48h<br>EC50 = 9714 mg/L, 24h                     |

### 12.2 Persistence and degradability

No information available.

### 12.3 Bio accumulative potential

No bioaccumulation expected (Partition coefficient n-octanol/water (log Kow) - 0.05)).

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Endocrine disrupting properties

No information available.

#### 12.7 Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### SECTION 14: Transport information

#### DOT (US)

|                      |             |
|----------------------|-------------|
| UN Number            | UN1219      |
| Proper Shipping name | Isopropanol |
| Hazard Class         | 3           |
| Packaging Group      | II          |

#### IMDG

|                      |             |
|----------------------|-------------|
| UN Number            | UN1219      |
| Proper Shipping name | Isopropanol |
| Hazard Class         | 3           |
| Packaging Group      | II          |

#### IATA

|                      |             |
|----------------------|-------------|
| UN Number            | UN1219      |
| Proper Shipping name | Isopropanol |
| Hazard Class         | 3           |
| Packaging Group      | II          |

### SECTION 15: Regulatory information

**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not applicable.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous**

See Section 2 for more information.

**SARA 313 (TRI reporting)**

Listed, Isopropyl alcohol (CAS #67-63-0).

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act**

Not regulated.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

Listed, Isopropyl alcohol (CAS #67-63-0).

**US state regulations**

**US. Massachusetts RTK - Substance List**

Listed, Isopropyl alcohol (CAS #67-63-0).

**US. New Jersey Worker and Community Right-to-Know Act**

Listed, Isopropyl alcohol (CAS #67-63-0).

**US. Pennsylvania Worker and Community Right-to-Know Law**

Listed, Isopropyl alcohol (CAS #67-63-0).

**California Proposition 65**

Not listed.

**SECTION 16: Other information**

Issue Date: 01/28/2010

Revised 06/18/2026

**SECTION 17: Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.