

Certificate of Analysis**Product: Isopropyl Alcohol 70% USP Grade, Halal****Item Number: IPAU70****CAS#: 67-63-0****Grade: USP****Lot Number: 5002687/1.1****Manufacture Date: 10/19/2026****Expiration Date: 10/18/2031****Country of Origin: United States**

Tested Property	Specification	Analysis
Appearance	Clear	Pass
Color APHA	Max 5	1
Specific Gravity @ 20°C	0.872 - 0.883	0.878
Assay (by spec. grav. of distillate)	0.950 - 0.955 @ 25°C	0.953
Assay (by volume)	68.0 - 72.0%	69.9%
Acidity	≤1.0 mL 0.02N NaOH required to neutralize	0.2 mL
Identification	Conforms to IR Spectrum	Pass
Limit of Non-Volatile Residue	≤5 mg	0 mg
Water (by volume)	28.0 - 32.0%	30.1%

Store in cool, dry, well-ventilated environment.
Formulated using USP Isopropyl Alcohol and purified water.

[Isopropyl Alcohol 70% USP Grade, Halal](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This is an electronically generated document and is valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2026 Lab Alley