

Certificate of Analysis

Product: Isopropyl Alcohol 91%
Item Number: IPAL91
Grade: Lab
Lot Number: 5001413/1.1-91-80525
Manufacture Date: 08/05/2025
Expiration Date: 08/04/2027
Country of Origin: United States

Tested Property	Specification	Analysis
Assay	90 - 91.8%	91.00%
Water	8.2 - 10.0%	9.00%
Acidity as Acetic Acid	<0.001%	0.000%
Water Miscibility	Miscible	Pass
Density @ 20°C, g/ml	0.8730 - 0.8840	0.8789
Appearance	Clear & free from suspended matter	Passes

[Isopropyl Alcohol 91%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley