

Certificate of Analysis

Product: Isopropyl Alcohol 99.8%

Item Number: IPAL99

Grade: Lab

Lot Number: 5001207/1.1

Manufacture Date: 03/21/2025

Expiration Date: 03/20/2028

Country of Origin: United States

Tested Property	Specification	Analysis
Isopropyl Alcohol purity, wt%	Min 99.8%	99.9%
Water, wt%	<0.1	0.03
Specific Gravity @20°C	0.7850 - 0.7870	0.7870
Refractive Index @20°C	1.376 - 1.378	1.377
Limit of nonvolatile residue, g/100mL	<=0.005	<0.002
Acidity as Acetic Acid, wt%	<=0.002	0.001
Appearance	Clear liquid	Pass
Color, APHA (Pt-Co)	Max 5	<5
Water miscibility	Clear and miscible	Pass

Meets U.S. Federal Specification TT-I-735A Amendment 3, Notice 3, 6 June 2007, Grades A &B.

[Isopropyl Alcohol 99.8%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: customercare@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley