

Certificate of Analysis

Product: Isopropyl Alcohol 99.8%
Item Number: IPAA99
Grade: ACS
Lot Number: 5001306/1.1
Manufacture Date: 11/19/2024
Expiration Date: 11/19/2028
Country of Origin: United States

Tested Property	Specification	Analysis
Assay	Min 99.5%	99.89
Solubility in water	To Pass Test	Passes
Carbonyl compounds	To Pass Test	Passes
Propionaldehyde	Max 0.002%	Passes
Acetone	Max 0.002%	Passes
Color (APHA)	Max 10	1
Residue after evaporation	Max 0.001%	Passes
Water (H ₂ O)	Max 0.200%	0.060
Titrateable acid	Max 0.001 meq/g	Passes
Titrateable base	Max 0.001 meq/g	Passes
Specific gravity at 25°C	0.783 - 0.787	0.783
Refractive index at 20°C	1.3760 - 13.780	1.377
Appearance	Bright and Clear	Bright and Clear

[Isopropyl Alcohol 99.8%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2025 Lab Alley